


## VELLUM SC FSC™ / AP904 / WK85

### PRODUCT DESCRIPTION / BENEFITS

**Face :** Woodfree white machine smoothed paper, with a high degree of whiteness. FSC Certified.

**Adhesive :** General purpose permanent acrylic water based adhesive. Good adhesion to a wide variety of substrates, including non-polar surfaces. Good behaviour at low temperatures.

**Liner :** One side siliconised clay coated Kraft. There may be slight variations in tone.



### TYPICAL USE

- Promotional & Advertising

### PRINTING & CONVERTING

Suitable for conventional printing methods (traditional offset and litho). Testing for suitability between media, printers and inks is always recommended prior to use.

### PRODUCT RECOMMENDATIONS

For labels in sheets.

### SHELF LIFE

2 years in original closed packaging under storage conditions as defined by FINAT section 2.5 (20-25°C, 40-50% RH). Prolonged storage at higher temperatures and/or humidity levels will shorten the shelf life of the product.

## VELLUM SC FSC™ / AP904 / WK85

**PHYSICAL  
PROPERTIES / TYPICAL  
VALUES**

**FACE MATERIAL**

*VELLUM SC FSC™*

Grammage	70 Gr/m2	ISO 536
Thickness	64 µm	ISO 534-80
Dry Opacity	91%	ISO 2471

**ADHESIVE**

*AP904 Sheets*

Tack Glass	11 N	FTM9
Min Labelling Temperature	0 °C	
Usage Temperature	-20/+70 °C	
Peel Value Glass-24 hours	10 N/25mm	FTM2

**LINER**

*WK85*

Grammage	82 Gr/m2	ISO 536
Thickness	85 µm	ISO 534-80

**QUALITY  
CERTIFICATIONS &  
APPROVALS**

- **FSC License code: FSC-C106281**

**DISCLAIMER**

Information on physico-chemical characteristics and values in this document are based upon tests we believe to be reliable and do not constitute a warranty. They are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material to their specific use. All technical data are subject to change. All Fedrigoni products are sold subject to terms and conditions of sale. For more information, contact your Fedrigoni sales representative. In case of any ambiguities or differences between the English and foreign versions of this document, the English version shall be prevailing and leading.